SICA)) loudspeakers ®

18 F 4 CP 8Ω

18" | 1400 W

Code Z008391

 SNDW
 4" Sandwich voice coil Fiberglass former

 DCS
 Double Cross Konex Spider (DCS)

 DAR
 Cloth surround with Double Asymmetric Rolls Technology (DAR)

 WpT
 Waterproof Cone Treatment


 Ferrite Magnet Circuit
 Ferrite Magnet and Voice Coil to reduce Power Compression

 97.3 dB sensitivity
 Frequency Range 35-2000 Hz



Subwoofer





Constructive Characteristics		
Magnet	Ferrite	
Basket Material	Aluminium Die-Cast	
Voice Coil Winding Material	Copper	
Voice Coil Former Material	Fiberglass	
Cone Material	Paper	
Cone Treatment	Surface Waterproof Treatment	
Surround Material	Treated Cloth	
Dust Dome Material	Solid Pape	
Mounting Information		
Overall Diameter	462 mm	
Baffle Cutout Diameter	417 mm	
Mounting Holes	8 holes 6,5x9 on ø441 mm	
Total Depth	203.5 mm	

(1) Rated Power measured with 2-hour test with pink noise signal, 6dB crest factor, loudspeaker in free air, power calculated on rated Zmin. (2) Power on Continuous Program is defined as 3dB greater than the Rated Power. (3) Calculated by Thiele & Small parameters, for SPL average in box refer to frequency response. (4) Thiele & Small parameters measured with laser system after preconditioning test. (5) Measured with respect to a THD of 10%. (6) Value corresponding to a decay of the Force Factor, or Compliance, or both, equal to the 50% of the small signal value. (7) Drawing dimensions: mm.

0000 B holes 6.5x9 on Ø 441mm



		cations	General Specifi
463 mm (18"	Nominal Diameter		
8 (Nominal Impedance		
700 W	Rated Power AES ⁽¹⁾		
1400 W	Continuous Program Power ⁽²⁾		
97.3 dE	Sensitivity @ 1W/1m ⁽³⁾		
100 mm (4"	Voice Coil Diameter		
22 mn	Voice Coil Winding Depth		
10 mn	Magnetic Gap Depth		
1.31	Flux Density		
3300 (Magnet Weight
13.3 kg			Net Weight
		Parameters ⁽⁴⁾	Thiele & Small
38.6 H	Fs	6.1 Ω	Re
0.38	Qes	6.23	Qms
194.0	Mms	0.36	Qts
27.44 Tr	Bxl	88 µm/N	Cms
1164.2 cm	Sd	168.7 l	Vas
+/-11.5 mr	X var ⁽⁶⁾	+/-9.0 mm	X max ⁽⁵⁾
1.88 mł	Le (1kHz)	2.45 %	ηο

SICA Altoparlanti s.r.l. - ITALY – website: www.sica.it; www.sicaspeakers.com - E-mail: lab@sica.it - Tel. +39-071-7958072 - Fax +39-071-7959006 07/12/18